WHAT IS CLAIMED IS:

- 1. A method for inhibiting angiogenesis in a mammal in need thereof comprising administering to the mammal a monoclonal antibody or fragment thereof which acts as an antagonist of the integrins GPIIb/IIIa $(\alpha_{_{\rm IIb}}\beta_3)$ and $\alpha_{_{\rm V}}\beta_3$ in an amount effective to inhibit angiogenesis in said mammal.
- The method according to claim 1, in which the antibody
 fragment is an Fab, Fab', or F(ab')2 fragment or derivative thereof.
- The method according to claim 1, in which the monoclonal antibody has the identifying characteristics of monoclonal
 antibody 7E3, produced by the ATCC 8832 hybridoma cell line.
 - 4. The method according to claim 1, in which the monoclonal antibody has the identifying characteristics of monoclonal antibody c7E3.

20

5

- 5. The method according to claim 1, in which the monoclonal antibody is administered intravenously.
- 6. The method according to claim 1, in which the monoclonal antibody is administered in the amount of about 0.25 mg/kg

body weight.

5

- 7. The method according to claim 1, in which the monoclonal antibody is administered in the amount of about 0.25 mg/kg body weight followed by an infusion of 0.125 mg/kg/min of said antibody.
- 8. The method according to claim 1, in which the mammal is selected from the group consisting of a primate, dog, cat,10 and human.
 - 9. The method according to claim 1, in which the mammal is a human patient.
- 15 10. The method according to claim 1, in which said monoclonal antibody treats an inflammatory disease.
- 11. The method according to claim 1, in which said monoclonal antibody treats an inflammatory disease selected from the group consisting of rheumatoid arthritis, macular degeneration, psoriasis, diabetic retinopathy.
- 12. A method for inhibiting tumor growth in a mammal in need thereof comprising administering to the mammal a monoclonal25 antibody or fragment thereof which acts an antagonist of the

integrins, GPIIb/IIIa $(\alpha_{_{\rm IIb}}\beta_3)$ and $\alpha_{_{V}}\beta_3$ in an amount effective to inhibit the growth of said tumor.

- 13. A method for preventing tumor growth in a mammal in need thereof comprising administering to the mammal a monoclonal antibody or fragment thereof which acts as an antagonist of the integrins GPIIb/IIIa ($\alpha_{\text{IIb}}\beta_3$) and $\alpha_{\text{v}}\beta_3$ in an amount effective to prevent the growth of said tumor in said mammal.
- 10 14. A method for preventing metastases in a mammal in need thereof comprising administering to the mammal a monoclonal antibody or fragment thereof which acts as an antagonist of the integrins GPIIb/IIIa $(\alpha_{_{\rm IIb}}\beta_3)$ and $\alpha_{_{\rm v}}\beta_3$ in an amount effective to prevent metastases in said mammal.

15